

TYPE ACL 2-N-1 SUBTRACTIVE PLATE DEVELOPER/FINISHER

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: Photo Systems, Inc. Product Name: **TYPE ACL 2-N-1 SUBTRACTIVE PLATE DEVELOPER**
7200 Huron River Drive, Dexter, MI 48130
Product Number: **411020, 411290** Date Prepared: 09/24/2007
Customer Information Phone Number: 1-800-521-4042
CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS</u>	<u>OHSA PEL</u>	<u>ACGIH TLV</u>	<u>Weight %</u>
SODIUM XYLENE SULFONATE	1300-72-7	N.E.	N.E.	10-15
BENZYL ALCOHOL	100-51-6	N.E.	N.E.	10-15
SODIUM TOLUENE SULFONATE	12068-03-0	N.E.	N.E.	5-10
DIETHANOLAMINE	111-42-2	3 ppm TWA	0.46 ppm TWA (skin)	< 3

3. HAZARDOUS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Eye Contact: Can cause severe eye irritation
Inhalation: Low hazard for recommended handling. May cause some irritation or coughing.
Ingestion: May cause irritation to mucus membrane. Nausea, vomiting, and abdominal pain.
Skin Contact: May cause tissue irritation or reddening with skin dryness.
Signs And Symptoms Of Exposure: Inflammation, reddening of skin, coughing, and difficulty breathing.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Get immediate medical attention.
Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Ingestion: If swallowed, give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.
Skin Contact: Flush skin with plenty of water and wash with a non-alkaline skin cleaner. Wash contaminated clothes before reuse. Get medical attention if irritation develops.
Aggravated Medical Conditions: Dermatitis can be exacerbated by this product.
Supplemental Health Information: None of the components in this product is listed by IARC, NTP, or OSHA as carcinogen.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point: Not combustible Flash Point Method: Not applicable Auto ignition: Not applicable

LEL: Not applicable

UEL: Not applicable

Extinguishing Media: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

Special Fire-Fighting Procedures: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

Unusual Fire And Explosion Hazards: None

Combustion Products: Carbon dioxide and carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Spilled Or Released: Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Dike the spill. Prevent liquid from entering sewers, waterways or low areas. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment.

7. HANDLING AND STORAGE

Precautions To Be Taken In Handling And Storage: Store in a cool, dry, well ventilated area. Keep containers closed. If frozen, before use, bring to room temperature and gently mix. Do not store with incompatible materials. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

Other Precautions: All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Do not reuse containers. Triple rinse before disposal. Dispose of in a licensed facility.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: When this product is used in the intended way, no respiratory protection is anticipated to be necessary.

Ventilation: Good ventilation of 10 room volumes per hour. Ventilation rates should match conditions of use.

Protective Gloves: Impervious gloves recommended.

Eye Protection: Safety glasses with side shields (or goggles).

Other Protective Clothing or Equipment: No special measures are required.

Work/Hygienic Practices: Use good personal hygiene when handling this product. Wash hands after use, before smoking or using the toilet.

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Exposure Guidelines: See Section 2.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Clear, amber liquid with mild hydrocarbon odor.

Solubility In Water: Miscible

Boiling Point: 102°C

Vapor Pressure: N.E.

Specific Gravity: 1.091

Melting Point: Not applicable

Freezing Point: -4.5° C

Evaporation Rate: N.E.

Vapor Density: N.E.

Percent Volatile: 75.68

Ph: 9.0

Molecular Weight: Not applicable

Pounds Per Gallon: 9.1

V.O.C. = 143.84 g/L, or 13.1 %, or 1.20 lb/gal.

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions To Avoid: None

Incompatibility: Strong oxidizers such as hydrogen peroxide, bromine, and chromic acid.

Hazardous Decomposition Or By Products: Carbon monoxide and carbon dioxide from high temperatures.

Hazardous Polymerization: Will Not Occur

Conditions To Avoid: None

11. TOXICOLOGICAL INFORMATION**12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS**

The preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water.

14. TRANSPORT INFORMATION

DOT Class: NOT REGULATED

Hazard Class: NONE

UN No.: NOT APPLICABLE

Packing Group:

Guide No:

Ship Name: PHOTOGRAPHIC DEVELOPER

15. REGULATORY INFORMATION

TSCA: All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SARA TITLE III: Diethanolamine is listed under Sara Title 313.

CALIF. PROP. 65: NONE

CARCINOGENICITY: NONE OF THE COMPONENTS IN THIS CHEMICAL IS ABOVE THE MINIMUM AMOUNT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

SCAQMD Rule 443.1

Photochemically Reactive: No

Maximum Grams of VOC per Liter: 142.96 g/L

Vapor Pressure: N.E. mm Hg@ 20 Degrees C

16. OTHER INFORMATION (HMIS)

Health: 1

Flammability: 0

Reactivity: 0

Protective: C

OTHER ADDITIONAL INFORMATION: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for the injuries from the use of the product described herein.