

NETWORK NEW CENTURY PLUS STABILIZER RTU

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: **Photo Systems, Inc.** Product Name: **NEW CENTURY PLUS STABILIZER RTU**
7200 Huron River Dr., Dexter, MI 48130

Product Number: **619110, 619200**

Date Prepared: 09/28/2007

Customer Information Phone Number:

1-800-521-4042

CHEMTREC®: 24 Hour Emergency Transport Phone Number: **1-800-424-9300**

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS</u>	<u>OHSA PEL</u>	<u>ACGIH TLV</u>	<u>Weight %</u>
PHOSPHORIC ACID	7664-38-2	1mg/m ³	1mg/m ³	1-3
ETHYLENE GLYCOL	107-21-1	125 mg/m ³ C	100 mg/m ³ C	1-3
POTASSIUM HYDROXIDE	1310-58-3	N.E.	N.E.	1-3
TRISODIUM HEDTA	MIXTURE	N.E.	N.E.	< 1

3. HAZARDOUS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Eye Contact: May cause irritation or permanent damage to tissue.

Inhalation: May cause irritation to nasal mucous membranes and respiratory tract.

Ingestion: Acidic nature of solution may cause irritation or corrosion to digestive tract.

Skin Contact: May cause skin irritation upon contact.

Signs And Symptoms Of Exposure: Eye irritation, respiratory irritation, dermatitis, difficulty breathing, abdominal pain, skin irritation, mucus membrane irritation, coughing, nausea diarrhea.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Get immediate medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, DO NOT induce vomiting. Give large quantities of water. Call a physician or poison control center.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Aggravated Medical Conditions: Individuals who are under the care of a physician or have chronic ailments, should consult a physician before using this product.

Supplemental Health Information: None of the components in this product is listed by IARC, NTP, or OSHA as carcinogen.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

MATERIAL SAFETY DATA SHEET



Flash Point: Nonflammable Flash Point Method: Not applicable Auto ignition: Not applicable

LEL: Not applicable UEL: Not applicable

Extinguishing Media: Any applicable to the primary cause of the fire.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Combustion Products: Carbon dioxide and carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Spilled Or Released: Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Dike the spill. Prevent liquid from entering sewers, waterways or low areas. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment.

7. HANDLING AND STORAGE

Precautions To Be Taken In Handling And Storage: Store in a cool, dry, well ventilated area. Keep containers closed. Do not store with incompatible materials. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

Other Precautions: All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Do not reuse containers. Triple rinse before disposal.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: When this product is used in the intended way, no respiratory protection is anticipated to be necessary. Use NIOSH/MSHA approved respirator if chronic acid fumes or mist may be generated or have been released.

Ventilation: Local exhaust ventilation is recommended. Ventilation must be adequate to keep hazardous ingredients below their exposure limits.

Protective Gloves: Nitrile, rubber, or neoprene waterproof gloves are recommended.

Eye Protection: Chemical safety goggles.

Other Protective Clothing or Equipment: Rubber or plastic apron.

Work/Hygienic Practices: Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet.

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Exposure guidelines: See Section 2.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Colorless, odorless solution.

Boiling Point: >100° C

Ph: 5.68

Specific Gravity: 1.064 g/ml

Freezing Point: N.E.

Evaporation Rate: N.E.

Vapor Density: N.E.

Molecular Weight: Not applicable

Pounds Per Gallon: 8.58

V.O.C. is 18.59g/L or 1.8% or 0.15 lb. /gal.

Solubility In Water: Complete

Vapor Pressure: 18 mm Hg @ 20°C

Melting Point: Not applicable

Percent Volatile: 95.45

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions To Avoid: None

Incompatibility: Strong Acids.

Hazardous Decomposition Or By Products: May produce carbon monoxide and/or carbon dioxide.

Hazardous Polymerization: Will Not Occur

11. TOXICOLOGICAL INFORMATION**12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS**

The preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water.

14. TRANSPORT INFORMATION

DOT Class: NOT REGULATED

Hazard Class: NONE

UN No.: NOT APPLICABLE

Packing Group:

Guide No:

15. REGULATORY INFORMATION

TSCA: All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SARA TITLE III: Phosphoric Acid and Ethylene Glycol are listed under SARA Title III Section 313 and CERCLA. Potassium Hydroxide is listed under SARA III Section 304.

CALIF. PROP. 65: Product contains a mixture which includes trace amounts of Trisodium NTA.

Ethylene glycol also contains trace levels of 1, 4-Dioxane. The State of California's Safe Drinking Water and Toxic Enforcement Act of 1986, or Proposition 65 requires the following information. This regulation does not address di minimus levels; therefore, even trace amounts of the chemicals included on Proposition 65's list of chemicals known to the State of California to cause cancer or reproductive toxicity must be noted with the "Safe Harbor" wording. WARNING: This product contains Trisodium NTA and 1, 4-Dioxane known to the State of California to cause cancer, birth defects or other reproductive harm.

CARCINOGENICITY: NONE OF THE COMPONENTS IN THIS CHEMICAL IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

SCAQMD Rule 443.1

Photochemically Reactive: No

Maximum Grams of VOC per Liter: 18.59 g/L

Vapor Pressure: 18 mm Hg@ 20 Degrees C

16. OTHER INFORMATION (HMIS)

Health: 1

Flammability: 0

Reactivity: 0

Protective: B

OTHER ADDITIONAL INFORMATION: The information and recommendations contained herein are based on data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.