

# NETWORK NEW CENTURY PLUS ACTIVATOR RTU

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: Photo Systems, Inc. Product Name: **NEW CENTURY PLUS ACTIVATOR RTU**  
Product Number: **621110, 621200** Date Prepared: 10/01/2007  
**Customer Information Phone Number:** 1-800-521-4042  
**CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300**

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS</u>	<u>OHSA PEL</u>	<u>ACGIH TLV</u>	<u>Weight %</u>
POTASSIUM HYDROXIDE	1310-58-3	N.E.	N.E.	5-10
SODIUM SULFITE	7757-83-7	N.E.	N.E.	1-5
ETHANOL, 2-((2-AMINOETHYL) AMINO)-	111-41-1	N.E.	N.E.	1-5

## 3. HAZARDOUS IDENTIFICATION

### POTENTIAL HEALTH EFFECTS

Eye Contact: Corrosive to the eyes and may cause severe damage including blindness.

Inhalation: Normally no problem but inhalation of mist or vapors could cause respiratory irritation due to corrosive nature of solution.

Ingestion: May cause severe burns and perforation of mucus membranes of mouth, throat, esophagus and stomach.

Skin Contact: Substance is corrosive. Can cause severe skin burns. Some asthmatics and sulfite-sensitive individuals may experience a reaction.

Signs And Symptoms Of Exposure: Eye irritation, respiratory irritation, dermatitis, difficulty breathing, abdominal pain, skin irritation, mucus membrane irritation, coughing, nausea, diarrhea.

## 4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Get immediate medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, DO NOT induce vomiting. Give large quantities of water. Call a physician or poison control center.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Aggravated Medical Conditions: Individuals who are under the care of a physician or have chronic ailments, should consult a physician before using this product. Some asthmatics and sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, diarrhea.

Supplemental Health Information: None of the components in this product is listed by IARC, NTP or OSHA as carcinogen.

## 5. FIRE FIGHTING MEASURES

### FLAMMABLE PROPERTIES

Flash Point: Nonflammable      Flash Point Method: Not applicable      Auto ignition: Not applicable

LEL: Not applicable      UEL: Not applicable

Extinguishing Media: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

Special Fire-Fighting Procedures: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

Unusual Fire And Explosion Hazards: None known.

Combustion Products: Carbon dioxide, carbon monoxide, oxides of sulfur.

## 6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Spilled Or Released: Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. Stop the spillage. Dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment.

## 7. HANDLING AND STORAGE

Precautions To Be Taken In Handling And Storage: Store in a cool, dry, well ventilated area. Keep containers closed. Do not store with incompatible materials. Do not store or consume food, drink, or tobacco where they may become contaminated with this material. Keep from freezing.

Other Precautions: All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Triple rinse before disposal.

## 8. EXPOSURE CONTROL / PERSONAL PROTECTION

### PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: When this product is used in the intended way, no respiratory protection is anticipated to be necessary. Use NIOSH/MSHA approved respirator if chronic acid fumes or mist may be generated or have been released. Respirator type: Acid gas.

Ventilation: Local exhaust ventilation is recommended. Ventilation must be adequate to keep hazardous ingredients below their exposure limits. Exhaust air may need to be cleaned by scrubbers or filters to reduce environmental contamination.

Protective Gloves: Nitrile, rubber, or neoprene waterproof gloves are recommended.

Eye Protection: Chemical safety goggles/splash shield.

Other Protective Clothing or Equipment: Rubber or plastic apron.

Work/Hygienic Practices: Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet.

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Exposure Guidelines: See Section 2.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance And Odor: Light yellow liquid with an amine odor.

Solubility In Water: Complete

Boiling Point: >100° C

Specific Gravity: 1.09 gm

Vapor Pressure: 18 mm Hg @ 20° C

Ph: 13.7

Melting Point: Not applicable

Freezing Point: N.E.

Evaporation Rate: N.E.

Vapor Density: N.E.

Percent Volatile: 88.39

Pounds Per Gallon: 9.11

Molecular Weight: Not applicable

V.O.C. = 0

**10. STABILITY AND REACTIVITY**

Stability: Stable

Conditions To Avoid: None

Incompatibility: Strong acids and oxidizers.

Hazardous Decomposition Or By Products: Carbon dioxide, carbon monoxide. Sulfur dioxide may form under acidic conditions.

Hazardous Polymerization: Will Not Occur

Conditions To Avoid: None

**11. TOXICOLOGICAL INFORMATION****12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS**

The preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water. When discarded in its purchased form, this product meets the criteria of Corrosivity, and should be managed as a hazardous waste.

**14. TRANSPORT INFORMATION**

DOT Class: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Contains Potassium Hydroxide)

Hazard Class: 8

UN No.: 3266

Packing Group: II

Guide No: 154

Ship Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S (Contains Potassium Hydroxide)

**15. REGULATORY INFORMATION**

TSCA: All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SARA TITLE III: Potassium Hydroxide is listed under Sara Title III 304 for CERCLA.

CALIF. PROP. 65: Product contains a mixture which includes trace amounts of Trisodium NTA. The State of California's Safe Drinking Water and Toxic Enforcement Act of 1986, or Proposition 65 requires the following information. This regulation does not address di minimus levels; therefore, even trace amounts of the chemicals included on Proposition 65's list of chemicals known to the State of California to cause cancer or reproductive toxicity must be noted with the "Safe Harbor" wording.

WARNING: This product contains Trisodium NTA – known to the State of California to cause cancer, birth defects or other reproductive harm.

CARCINOGENICITY: NONE OF THE COMPONENTS IN THIS CHEMICAL IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

**SCAQMD Rule 443.1**

Photochemically Reactive: No  
Maximum Grams of VOC per Liter: 0 g/L  
Vapor Pressure: 18 mm Hg@ 20 Degrees C

**16. OTHER INFORMATION (HMIS)**

Health: 3  
Flammability: 0  
Reactivity: 0  
Protective: C

OTHER ADDITIONAL INFORMATION: The information and recommendations contained herein are based on data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.