

FUTURE 500 DEVELOPER POWDER

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: Photo Systems, Inc.

Product Name: **FUTURE 500 DEVELOPER**

Product Number: **730710Q, 730730P**

Date Prepared: 09/27/2007

Customer Information Phone Number:

1-800-521-4042

CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Chemical Name</u> | <u>CAS</u> | <u>OHSA PEL</u> | <u>ACGIH TLV</u> | <u>Weight %</u> |
|----------------------|------------|--------------------|--------------------|-----------------|
| SODIUM SULFITE | 7757-83-7 | N.E. | 5mg/m ³ | 40-60 |
| HYDROQUINONE | 123-31-9 | 2mg/m ³ | 2mg/m ³ | 10-15 |
| LITHIUM HYDROXIDE | 1310-66-3 | N.E. | N.E. | 10-15 |
| DISSOLVINE EDTA | 60-00-4 | N.E. | N.E. | 1-5 |

3. HAZARDOUS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Eye Contact: Dust exposure may cause irritation or damage to eyes.

Inhalation: May cause irritation to nasal mucous membranes and respiratory tract.

Ingestion: May cause irritation or corrosion to digestive tract.

Skin Contact: Irritating to the skin. Some sulfite sensitive individuals may experience an allergic reaction.

Signs And Symptoms Of Exposure: Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, weakness, and diarrhea. Other signs of exposure are: eye irritation, respiratory irritation, dermatitis, difficulty breathing, abdominal pain, skin irritation, mucus membrane irritation, coughing, nausea, diarrhea.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Get immediate medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, DO NOT induce vomiting. Give large quantities (2-3 glass) of milk or water. Call a physician or poison control center.

Skin Contact: Flush skin with plenty of water and wash with a non-alkaline skin cleaner. Wash contaminated clothes before reuse. Get medical attention if irritation develops.

Aggravated Medical Conditions: Individuals who are under the care of a physician or have chronic ailments, should consult a physician before using this product. Some asthmatics or sulfite-sensitive persons may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea. Allergies, chronic asthmas may be exacerbated by dust from this product.

Supplemental Health Information: None of the components in this product is listed by IARC, NTP, or OSHA as carcinogen.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point: Nonflammable Flash Point Method: Not applicable Auto ignition: Not applicable

LEL: Not applicable UEL: Not applicable

Extinguishing Media: Use agent appropriate for surrounding fire.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Unusual Fire And Explosion Hazards: Fire or excessive heat may cause production of hazardous decomposition products.

Combustion Products: Concentrate: Carbon dioxide, carbon monoxide, and oxides of sulfur.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Spilled Or Released: Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. Stop the spillage. If dry, sweep up chemical and place in a hazardous waste container. If mixed, dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment. Contaminated surfaces should be cleaned using water.

7. HANDLING AND STORAGE

Precautions To Be Taken In Handling And Storage: Store in a cool, dry, well ventilated area. Keep containers closed. Do not store with incompatible materials. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

Other Precautions: All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Do not reuse containers. Triple rinse before disposal. Dispose of in a licensed facility. Recommended crushing or other means to prevent re-use.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Wear OSHA approved dust filter respirator if TLV is to be exceeded.

Ventilation: Good ventilation of 10 room volumes per hour. Ventilation rates should match conditions of use.

Protective Gloves: Latex, rubber, or neoprene waterproof gloves are recommended.

Eye Protection: Chemical safety goggles/splash shield.

Other Protective Clothing or Equipment: Rubber or plastic apron.

Work/Hygienic Practices: Use good personal hygiene when handling this product. Wash hands after use, before smoking or using the toilet.

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Exposure Guidelines: See Section 2.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Crystalline white powder
Boiling Point: Not applicable Vapor Pressure: Not applicable
Melting Point: Not applicable Freezing Point: Not applicable
Vapor Density: Not applicable Evaporation Rate: Not applicable
Percent Volatile: Not applicable Molecular Weight: Not applicable

Solubility In Water: Complete
Specific Gravity: 1.073
Ph: Not applicable
Pounds Per Gallon: 8.94

10. STABILITY AND REACTIVITY

Stability: Stable
Conditions To Avoid:
Incompatibility: Strong acids; oxidizers.
Hazardous Decomposition Or By Products: May produce carbon dioxide, carbon monoxide and oxide of sulfur under thermal conditions.
Hazardous Polymerization: Will Not Occur

11. TOXICOLOGICAL INFORMATION**12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS**

Discharge, treatment or disposal may be subject to Federal, State (provincial in Canada) or local laws.

14. TRANSPORT INFORMATION

Ship Name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Contains Lithium Hydroxide, Monohydrate)
Hazard Class: 8
UN No.: 3262
Packing Group: II
Guide No: 154

Limited Quantity Exception may apply to this product, for "inner packagings not over 1.0L (0.3 gal) for liquids and 1.0 kg (2.2 lb) for solids". 173.154 (b) (1). Each package must conform to the packaging requirements of Subpart B of Part 173 and may not exceed 30 kg (66 lb) gross weight. For further information consult the 49 CFR.

DOT Class: CONSUMER COMMODITY, ORM-D
Hazard Class: NOT APPLICABLE
UN No.: NOT APPLICABLE
Packing Group: NOT APPLICABLE
Guide No: NOT APPLICABLE
Ship Name: NOT APPLICABLE

15. REGULATORY INFORMATION

TSCA: All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SARA TITLE III: Hydroquinone is listed under Sara Title 313 and Sara EHS.

CALIF. PROP. 65: None

CARCINOGENICITY: NONE OF THE COMPONENTS IN THIS CHEMICAL IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

SCAQMD Rule 443.1

Photochemically Reactive: No

Maximum Grams of VOC per Liter: 0 g/L

Vapor Pressure: 0 mm Hg@ 20 Degrees C

16. OTHER INFORMATION (HMIS)

Health: 2

Flammability: 0

Reactivity: 0

Protective: E

OTHER ADDITIONAL INFORMATION: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.