

JOMAC DAMPENING COVERS

Product Selector

Product number	Jomac		To Fit a Roller Diameter of		Roll Length		Comments
	Style Number	Inches	Millimeters	Yards	Meters		

Greensleeves™

SYNTHETIC DAMPENING COVERS

These seamless, looped, synthetic covers for the water form and ductor rollers provide shrink-fit installation, less frequent cleaning, and lint-free operation. Rolled material comes in boxes of 10 yard (9.1 m) and 25 yard (22.8 m) rolls. Standard Greensleeves cut covers come without drawstrings.

GS-118-10YD	GS-118	7/8 - 1	22 - 25	10 YD	9.1 m
GS-125-10YD	GS-125	1 1/8 - 1 1/4	29 - 32	10 YD	9.1 m
GS-150-10YD	GS-150	1 3/8 - 1 1/2	35 - 38	10 YD	9.1 m
GS-175-10YD	GS-175	1 5/8 - 1 3/4	41 - 44	10 YD	9.1 m
GS-218-10YD	GS-218	1 7/8 - 2 1/8	48 - 54	10 YD	9.1 m
GS-250-10YD	GS-250	2 1/4 - 2 1/2	57 - 64	10 YD	9.1 m
GS-300-10YD	GS-300	2 5/8 - 3	67 - 76	10 YD	9.1 m
GS-350-10YD	GS-350	3 1/8 - 3 1/2	79 - 89	10 YD	9.1 m
GS-378-10YD	GS-378	3 5/8 - 3 7/8	92 - 98	10 YD	9.1 m
GS-478-10YD	GS-478	4 - 4 7/8	102 - 124	10 YD	9.1 m
GS-118-25YD	GS-118	7/8 - 1	22 - 25	25YD	22.8 m
GS-125-25YD	GS-125	1 1/8 - 1 1/4	29 - 32	25YD	22.8 m
GS-150-25YD	GS-150	1 3/8 - 1 1/2	35 - 38	25YD	22.8 m
GS-175-25YD	GS-175	1 5/8 - 1 3/4	41 - 44	25YD	22.8 m
GS-218-25YD	GS-218	1 7/8 - 2 1/8	48 - 54	25YD	22.8 m
GS-250-25YD	GS-250	2 1/4 - 2 1/2	57 - 64	25YD	22.8 m
GS-300-25YD	GS-300	2 5/8 - 3	67 - 76	25YD	22.8 m
GS-350-25YD	GS-350	3 1/8 - 3 1/2	79 - 89	25YD	22.8 m
GS-378-25YD	GS-378	3 5/8 - 3 7/8	92 - 98	25YD	22.8 m
GS-478-25YD	GS-478	4 - 4 7/8	102 - 124	25YD	22.8 m

Green Synthetic J-Lastic® (JS)

SYNTHETIC DAMPENING COVERS

These seamless covers for the intermediate pan or ductor rollers provide an excellent alternative to linen covers, and can also replace Jomac Dura-Shrink. JS rolled material comes in boxes of 25 yard (22.8 meter) rolls. Green Synthetic J-Lastic® cut covers come in packages of three with a drawstring on one end of each cover and 3 cable ties.

JS-1726-25YD	JS-1726	1.75 - 2.60	44 - 66	25YD	22.8 m
JS-3040-25YD	JS-3040	3.0 - 4.0	76 - 101	25YD	22.8 m

SYNTHETIC DAMPENING COVERS

GSS News Knit® (GNK)

Developed for the water pick-up rollers of large web offset newspaper presses, this seamless, shrink-fit cover provides consistent absorbency and a long, lint-free life. GSS News-Knit® comes in boxes of 13.2 yard (12 meter) rolls.

GNK-20-13.2YD	GNK-20	2.000 - 2.250	51 - 57	13.2YD	12 m
GNK-23-13.2YD	GNK-23	2.375 - 2.625	60 - 67	13.2YD	12 m
GNK-27-13.2YD	GNK-27	2.750 - 3.125	70 - 79	13.2YD	12 m
GNK-32-13.2YD	GNK-32	3.250 - 3.625	82.5 - 92	13.2YD	12 m

JOMAC DAMPENING COVERS

Product Selector

<i>Product number</i>	<i>Jomac</i>		<i>To Fit a Roller Diameter of</i>		<i>Roll Length</i>		<i>Comments</i>
	<i>Style Number</i>	<i>Inches</i>	<i>Millimeters</i>	<i>Yards</i>	<i>Meters</i>		

The Shrink Cover®

SYNTHETIC DAMPENING COVERS

These seamless, synthetic covers for the water form and ductor rollers provide shrink-fit installation and lint-free operation. The Shrink Cover® is available in pre-cut covers and rolled material. To determine the price of The Shrink Cover® cut cover with two drawstrings, use the calculation below. The Shrink Cover® rolled material comes in boxes of 10 yards (9.1 meters) and 25 yards (22.8 meters).

TSC-118-10YD	TSC-118	7/8 - 1	22-25	10YD	9.1 m
TSC-125-10YD	TSC-125	1 1/8 - 1 1/4	29-32	10YD	9.1 m
TSC-150-10YD	TSC-150	1 3/8 - 1 1/2	35-38	10YD	9.1 m
TSC-175-10YD	TSC-175	1 5/8 - 1 3/4	41-44	10YD	9.1 m
TSC-218-10YD	TSC-218	1 7/8 - 2 1/8	48-54	10YD	9.1 m
TSC-250-10YD	TSC-250	2 1/4 - 2 1/2	57-64	10YD	9.1 m
TSC-300-10YD	TSC-300	2 5/8 - 3	67-76	10YD	9.1 m
TSC-350-10YD	TSC-350	3 1/8 - 3 1/2	79-89	10YD	9.1 m
TSC-378-10YD	TSC-378	3 5/8 - 3 7/8	92-98	10YD	9.1 m
TSC-478-10YD	TSC-478	4 - 4 7/8	102-124	10YD	9.1 m
TSC-118-25YD	TSC-118	7/8 - 1	22 - 25	25YD	22.8 m
TSC-125-25YD	TSC-125	1 1/8 - 1 1/4	29 - 32	25YD	22.8 m
TSC-150-25YD	TSC-150	1 3/8 - 1 1/2	35 - 38	25YD	22.8 m
TSC-175-25YD	TSC-175	1 5/8 - 1 3/4	41 - 44	25YD	22.8 m
TSC-218-25YD	TSC-218	1 7/8 - 2 1/8	48 - 54	25YD	22.8 m
TSC-250-25YD	TSC-250	2 1/4 - 2 1/2	57 - 64	25YD	22.8 m
TSC-300-25YD	TSC-300	2 5/8 - 3	67 - 76	25YD	22.8 m
TSC-350-25YD	TSC-350	3 1/8 - 3 1/2	79 - 89	25YD	22.8 m
TSC-378-25YD	TSC-378	3 5/8 - 3 7/8	92 - 98	25YD	22.8 m
TSC-478-25YD	TSC-478	4 - 4 7/8	102 - 124	25YD	22.8 m

Watersleeves™

SYNTHETIC DAMPENING COVERS

Seamless, synthetic, lint-free, shrink-fit, non-patterning, and designed to replace paper sleeves used on the water form, WaterSleeves™ are available in pre-cut covers and rolled material. Cut covers are supplied with drawstrings at both ends and a mounting tube, and are packaged three to a box.

WS-118-1YD	118-130	1.18 - 1.30	30 - 33	1 YD	0.91 m
WS-150-1YD	150-168	1.50 - 1.68	38 - 43	1 YD	0.91 m
WS-169-1YD	169-192	1.69 - 1.92	43 - 49	1 YD	0.91 m
WS-185-1YD	185-211	1.85 - 2.11	47 - 54	1 YD	0.91 m
WS-193-1YD	193-219	1.93 - 2.19	49 - 56	1 YD	0.91 m
WS-220-1YD	220-251	2.20 - 2.51	56 - 64	1 YD	0.91 m
WS-243-1YD	243-263	2.43 - 2.63	62 - 67	1 YD	0.91 m
WS-252-1YD	252-290	2.52 - 2.90	64 - 74	1 YD	0.91 m
WS-291-1YD	291-335	2.91 - 3.35	74 - 85	1 YD	0.91 m
WS-335-1YD	335-362	3.35 - 3.62	85 - 92	1 YD	0.91 m
WS-336-1YD	336-394	3.36 - 3.94	85 - 100	1 YD	0.91 m

Super-Damp

SYNTHETIC DAMPENING COVERS

This seamless knitted material with is available in press specific cut cover configurations.

<i>Jomac Style</i>	<i>Jomac Style Number</i>	<i>To Fit a Roller Diameter of</i>	
		<i>Inches</i>	<i>Millimeters</i>
SUPER	1928	0.75 - 1.1	19 - 28
SUPER	3138	1.22 - 1.5	31 - 38
SUPER	4452	1.75 - 2.05	44 - 52
SUPER	5360	2.08 - 2.36	53 - 60
SUPER	6167	2.40 - 2.64	61 - 67
SUPER	6874	2.68 - 2.91	68 - 74
SUPER	7586	2.95 - 3.39	75 - 86
SUPER	8795	3.43 - 3.74	87 - 95
SUPER	96108	3.78 - 4.25	96 - 108

*To determine the price of a Super-Damp cut cover, please contact your dealer

JOMAC DAMPENING COVERS

Product Selector

Product number	Jomac	To Fit a Roller Diameter of		Roll Length		Comments
	Style Number	Inches	Millimeters	Yards	Meters	

Dura-Shrink

SYNTHETIC DAMPENING COVERS

Shrink-fit cover made for the intermediate ductor rollers on all Heidelberg K Series presses. Dura-Shrink comes in sets of three sleeves with drawstrings at one end and cable ties to secure the other end.

Product number	Jomac	To Fit a Roller Diameter of		Cut cover Length	
	Style Number	Inches	Millimeters	Inches	Meters
DURA-K	DURA-K	2 9/16	65	36	0.91 m

A-TeX®

COTTON DAMPENING COVERS

These seamless, looped cotton covers for the water form and ductor rollers feature 100% bleached cotton construction, which provide high absorbency and long life. A-TeX is available in pre-cut covers and rolled material in boxes of 25 yard (22.8 meter) rolls. All A-TeX cut covers have drawstrings at both ends and are packed with clear plastic sheets for easier application.

ATEX-LL15-25YD	LL-15	Under 3/4	Under 19	25YD	22.8 m
ATEX-LL25-25YD	LL-25	3/4 - 1 1/8	19 - 29	25YD	22.8 m
ATEX-LL50-25YD	LL-50	1 1/4 - 1 1/2	32 - 38	25YD	22.8 m
ATEX-LL75-25YD	LL-75	1 3/4 - 2	45 - 51	25YD	22.8 m
ATEX-LL100-25YD	LL-100	2 1/8 - 2 3/8	54 - 60	25YD	22.8 m
ATEX-LL150-25YD	LL-150	2 1/2 - 2 9/16	64 - 65	25YD	22.8 m
ATEX-LL175-25YD	LL-175	2 5/8 - 2 11/16	67 - 68	25YD	22.8 m
ATEX-LL200-25YD	LL-200	2 3/4 - 3 1/16	70 - 78	25YD	22.8 m
ATEX-3-25YD	3	3 - 3 1/2	76 - 89	25YD	22.8 m
ATEX-35-25YD	35	3 3/4 - 4	95 - 102	25YD	22.8 m
ATEX-4-25YD	4	4 1/8 - 4 1/2	105 - 114	25YD	22.8 m
ATEX-5-25YD	5	4 3/4 - 5 1/4	121 - 133	25YD	22.8 m
ATEX-6-25YD	6	5 1/2 - 6 1/4	140 - 159	25YD	22.8 m

Available by special order for OD 7" - 10". Call for prices and information.

Bild-Up

COTTON DAMPENING COVERS

These seamless, light-weight, tightly knit cotton covers are highly absorbent and durable, and are used to enlarge the roller diameter. Bild-Up works great on water pickup and pan rollers of newspaper presses. Bild-Up rolled material comes in boxes of 25 yard (22.8 meter) rolls.

BILD-1005-25YD	1005	1 - 1 1/4	25 - 32	25YD	22.8 m
BILD-1010-25YD	1010	1 3/8 - 1 5/8	35 - 41	25YD	22.8 m
BILD-1015-25YD	1015	1 3/4 - 2	44 - 51	25YD	22.8 m
BILD-1020-25YD	1020	2 1/8 - 2 3/8	54 - 60	25YD	22.8 m
BILD-1025-25YD	1025	2 1/2 - 2 3/4	64 - 70	25YD	22.8 m
BILD-1030-25YD	1030	2 7/8 - 3	73 - 76	25YD	22.8 m
BILD-1035-25YD	1035	3 1/8 - 3 1/4	79 - 83	25YD	22.8 m
BILD-1040-25YD	1040	3 3/8 - 3 5/8	86 - 92	25YD	22.8 m
BILD-1045-25YD	1045	3 3/4 - 4	95 - 102	25YD	22.8 m
BILD-1050-25YD	1050	4 1/4 - 5	108 - 127	25YD	22.8 m
BILD-1060-25YD	1060	5 1/2 - 6	140 - 152	25YD	22.8 m

D-TeX®

COTTON DAMPENING COVERS

This seamless, natural cotton roller undercover is used to enlarge the roller diameter. D-TeX rolled material comes in boxes of 25 yard (22.8 meter) rolls.

DTEX-00-25YD	00	3/4 - 1 1/8	19 - 29	25YD	22.8 m
DTEX-0-25YD	0	1 1/4 - 2	32 - 51	25YD	22.8 m
DTEX-50-25YD	50	2 1/8 - 2 9/16	54 - 65	25YD	22.8 m
DTEX-1-25YD	1	2 3/4	70	25YD	22.8 m
DTEX-2-25YD	2	3 - 3 1/2	76 - 89	25YD	22.8 m
DTEX-3-25YD	3	3 3/4 - 4	95 - 102	25YD	22.8 m
DTEX-4-25YD	4	4 1/4 - 4 3/4	105 - 121	25YD	22.8 m
DTEX-5-25YD	5	4 3/4 - 5 1/4	121 - 133	25YD	22.8 m
DTEX-6-25YD	6	5 1/4 - 6	133 - 152	25YD	22.8 m

JOMAC DAMPENING COVERS

Product Selector

Product number	Jomac	To Fit a Roller Diameter of		Roll Length		Comments
	Style Number	Inches	Millimeters	Yards	Meters	

J-Knit

COTTON DAMPENING COVERS

These seamless, cotton covers are ideal for fast color changes on sheetfed or web presses. They simply slip over the existing cover and are removed at the end of the run. J-Knit is available in pre-cut covers with drawstrings at both ends and rolled material in boxes of 25 yard (22.8 meter) rolls.

JK-4002-25YD	4002	1 1/4 - 1 5/8	32 - 41	25YD	22.8 m
JK-4001S	4001S	1 3/4 - 2 3/4	45 - 70	25YD	22.8 m
JK-4001D-25YD	4001D	2 7/8 - 3 3/8	73 - 86	25YD	22.8 m
JK-4000L-25YD	4000L	3 1/2 - 4 3/4	89 - 121	25YD	22.8 m

News-Knit

COTTON DAMPENING COVERS

These seamless, medium-weight cotton covers for the water pickup or pan rollers of newspaper presses are highly absorbent and durable. News-Knit also works great as a ductor cover. News-Knit rolled material comes in boxes of 25 yard (22.8 meter) rolls.

NK-20-25YD	NK-20	1 3/4 - 2	44 - 51	25YD	22.8 m
NK-25-25YD	NK-25	2 1/8 - 2 3/8	54 - 60	25YD	22.8 m
NK-30-25YD	NK-30	2 1/2 - 2 3/4	64 - 70	25YD	22.8 m
NK-35-25YD	NK-35	2 7/8 - 3	73 - 76	25YD	22.8 m
NK-40-25YD	NK-40	3 1/8 - 3 1/4	79 - 83	25YD	22.8 m
NK-45-25YD	NK-45	3 3/8 - 3 5/8	86 - 92	25YD	22.8 m
NK-50-25YD	NK-50	3 3/4 - 4	95 - 102	25YD	22.8 m
NK-55-25YD	NK-55	4 1/8 - 4 3/4	105 - 121	25YD	22.8 m
NK-G3125-25YD	G-3125	GOSS URBANITE		25YD	22.8 m
NK-G3750-25YD	G-3750	GOSS COSMO		25YD	22.8 m

J-Lastic

COTTON DAMPENING COVERS

These seamless, elasticized cotton covers are highly absorbent, and provide an excellent alternative to linen covers for the water pan roller, fountain roller, or intermediate ductor roller. J-Lastic rolled material comes in boxes of 25 yard (22.8 meter) rolls.

JL-1-25YD	J-1	1 1/4 - 1 7/8	32 - 48	25YD	22.8 m
JL-2-25YD	J-2	1 7/8 - 2 3/4	48 - 70	25YD	22.8 m
JL-3-25YD	J-3	3 - 4 1/4	76 - 105	25YD	22.8 m
JL-4-25YD	J-4	4 1/2 - 5	114 - 127	25YD	22.8 m

Uni-Damp®

COTTON DAMPENING COVERS

These seamless covers for the water form and ductor rollers have a uniformly sheared surface that produces a velour-smooth finish and provides maximum moisture control on small sheetfed presses. Uni-Damp is available in pre-cut covers and rolled material in boxes of 25 yard (22.8 meter) rolls.

UNI-1125-25YD	1125	1 1/8 - 1 1/4	29 - 32	25YD	22.8 m
UNI-1150-25YD	1150	1 3/8 - 1 1/2	35 - 38	25YD	22.8 m
UNI-1175-25YD	1175	1 9/16 - 1 3/4	40 - 44	25YD	22.8 m
UNI-1200-25YD	1200	1 3/4 - 2	44 - 51	25YD	22.8 m
UNI-1225-25YD	1225	2 1/16 - 2 1/4	52 - 57	25YD	22.8 m
UNI-1250-25YD	1250	2 3/8 - 2 9/16	60 - 65	25YD	22.8 m
UNI-1275-25YD	1275	2 5/8 - 2 3/4	67 - 70	25YD	22.8 m
UNI-1300-25YD	1300	2 7/8 - 3 1/16	73 - 78	25YD	22.8 m
UNI-1325-25YD	1325	3 1/8 - 3 5/16	79 - 84	25YD	22.8 m