

INFINITY RED FOUNTAIN SOLUTION

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: Photo Systems, Inc. Product Name: **INFINITY RED FOUNTAIN SOLUTION**
Product Number: **633010, 633400** Date Prepared: 08/30/2007
Customer Information Phone Number: 1-800-521-4042
CHEMTREC®: 24 Hour Emergency Transport Phone Number: 1-800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS	OHSA PEL	ACGIH TLV	Weight %
GLYCERIN	56-81-5	15 mg/m ³	10mg/m ³ as mist	5-10
ISOPROPYL ALCOHOL	67-63-0	980 mg/m ³ TWA	983 mg/m ³ TWA	1-5
2-(2-BUTOXYETHOXY) ETHANOL	112-34-5	N.E.	N.E.	1-5

3. HAZARDOUS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Eye Contact: Causes severe irritation and burns.

Inhalation: Inhalation could cause respiratory irritation with extreme overexposure leading to central nervous system depression.

Ingestion: May be harmful if swallowed. Produce signs of narcosis, dizziness, drowsiness, headache, nausea.

Skin Contact: May cause irritation and allergic skin reaction.

Signs And Symptoms Of Exposure: Eye irritation, respiratory irritation, dermatitis, difficulty breathing, abdominal pain, skin irritation, mucus membrane irritation, coughing, nausea, diarrhea.

4. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion: If swallowed, give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Skin Contact: Flush skin with plenty of water and wash with a non-alkaline skin cleaner. Wash contaminated clothes before reuse. Get medical attention if irritation develops.

Aggravated Medical Conditions: Skin contact may aggravate an existing dermatitis.

Supplemental Health Information: None of the components in this product is listed by IARC, NTP, or OSHA as carcinogen.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point: Nonflammable Flash Point Method: Not applicable Auto ignition: Not applicable

LEL: Not applicable UEL: Not applicable
Extinguishing Media: Use agent appropriate for surrounding fire.
Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Unusual Fire And Explosion Hazards: Fire or excessive heat may cause production of hazardous decomposition products.
Combustion Products: Carbon dioxide and carbon monoxide

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Spilled Or Released: Review fire and explosion hazards and safety precautions before proceeding with cleanup. Use appropriate personal protective equipment. Avoid contact with skin and eyes. Stop the spillage. Dike the spill. Prevent liquid from entering sewers, waterways or low areas. Absorb spillage in inert material. Soak up with sawdust, sand, or other absorbent material. Remove non-usable solid material and/or contaminated soil for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment. Contaminated surfaces should be cleaned using water.

7. HANDLING AND STORAGE

Precautions To Be Taken In Handling And Storage: Store in a cool, dry, well ventilated area. Keep containers closed. Do not store with incompatible materials. Do not store or consume food, drink, or tobacco where they may become contaminated with this material.

Other Precautions: All labeled precautions must be observed when handling, storing and transporting empty containers due to product residues. Triple rinse before disposal.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Use of respiratory protection is generally not required. However, if use conditions generate vapors or fumes, use a NIOSH approved organic vapor respirator.
Ventilation: Provide exhaust ventilation sufficient to keep the airborne concentration of this product below its exposure limits. Exhaust air may need to be cleaned by scrubbers or filters to reduce environmental contamination
Protective Gloves: Rubber or neoprene waterproof gloves are recommended.
Eye Protection: Safety glasses with side shields (or goggles).
Other Protective Clothing or Equipment: Rubber or plastic apron.
Work/Hygienic Practices: Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet.
Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance And Odor: Red liquid, alcohol odor.	Solubility In Water: Complete	
Boiling Point: N.E.	Vapor Pressure: N.E.	Melting Point: Not applicable
Specific Gravity: 1.03 g/ml	Ph: 4.80	Freezing Point: N.E.
Evaporation Rate: N.E.	Vapor Density: N.E.	Percent Volatile: 83.63
Molecular Weight: Not applicable	Pounds Per Gallon: 8.59	

V.O.C. is 53.74 g/L or 5.22% or 0.45 lb. /gal.

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions To Avoid: None

Incompatibility: Oxidizing materials

Hazardous Decomposition Or By Products: May produce oxides of carbon.

Hazardous Polymerization: Will Not Occur

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

The preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal practice must be in compliance with federal, state, and local regulations. Do not dump into sewers, ground, or any body of water.

14. TRANSPORT INFORMATION

DOT Class: NOT REGULATED

Hazard Class: NOT APPLICABLE

UN No.: NONE

Packing Group:

Guide No:

15. REGULATORY INFORMATION

TSCA: All ingredients in this finished product are listed on the EPA TSCA INVENTORY.

SARA TITLE III: Butyl Carbitol is a Glycol Ether listed under Sara III 313 and the Clean Air Act.

CALIF. PROP. 65: NONE

CARCINOGENICITY: NONE OF THE COMPONENTS IN THIS CHEMICAL IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

SCAQMD Rule 443.1

Photochemically Reactive: No

Maximum Grams of VOC per Liter: 53.74 gm/L

Vapor Pressure: N.E. mmHg@ 20°C

16. OTHER INFORMATION (HMIS)

Health: 2

Flammability: 0

Reactivity: 0

Protective: C

OTHER ADDITIONAL INFORMATION: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for the injuries from the use of the product described herein.